

# DOP-300P

(7 inch)

## FETAL MONITOR



# DOP-300P

## FETAL MONITOR (7 inch)

### [ Product introduction ]

- The monitor of lightweight and space-saving
- It can meet the need of whole stages of labor (including antepartum and intrapartum monitoring for fetus and mother)
- It also can be connected to the obstetrical central station

### [ Options ]

- Measurement of maternal Spo2,MHR,NIBP
- Maternal temperature measurement
- Twins monitor interface,Twins FHR measurement
- Build-in network/PC connecting interface
- FAS(fetal acoustic stimulator )

### [ Features ]


- Lightweight, space-saving, easy operation
- Interface of parameters of FHR ,TOCO,FM,with digital and curve display
- Battery indication, pregnant No. display
- Alarm system
- 7-inch TFT color screen Folding up to 90 degree
- Build-in long life thermal printer
- DSP technology, realtime identify and measurement for FHR,accurate and reliable results
- Special high sensitive transducer
- 12 hours data storage which can be playback and printed
- Special patient event and clinical event marking bottom
- Low ultrasound power,safe to fetus
- Wide range of applying voltage(100-240V)
- Automatic Fetal Movement Detection



# DOP-300P

(12.1 inch)

## FETAL MONITOR



# DOP-300P

## FETAL MONITOR (12.1 inch)

### [ Product introduction ]

- The monitor of lightweight and space-saving.
- It can meet the need of whole stages of labor(including antepartum and intrapartum monitoring for fetus and mother).
- It also can be connected to the obstetrical central station



### [ Options ]

- Maternal Spo2,HR,NIBP and temperature measurement.
- Maternal ECG and PR measurement.
- Twins monitor interface,Twins FHR measurement.
- Build-in network/PC/connecting interface
- Fas(fetal acoustic stimulator)



### [ Features ]

- Light weight,compact design,space-saving,easy operation
- Interface of parameters of FHR,TOCO,FM,with digital and curve display.
- The setup of the system can be easy done and automatically stored.
- Alarm/system.
- 12-inch TFT color Folding up to 90 degree.
- Build-in152 mm long life thermal printer.
- DSP technology,real time identify and measurement for FHR,accurate and reliable results.
- Special high sensitive water proof probe
- More than 24 hours data storage which can be playback and printed
- Special patient event and clinical event marking button.
- Low ultrasound power,to fetus safety
- Wide range of applying voltage(100-240V)
- Automatic Fetal Movement Detection.