

Urine Analyzer

Type: UA-50



Features:

- Cold light source facility with long life and high stability
- Internal thermal printer
- Easy operation, cost-efficiency and high quality
- RS232 serial interface to host PC/LIS, Barcode reader optional
- A+A UQ-10 & UQ-11 Urinalysis Control

Specifications:

| | |
|-----------------------|--|
| Parameters | pH, Nitrite, Specific Gravity, Ascorbic Acid, Blood, Glucose, Bilirubin, Urobilinogen, Ketone, Leucocytes, Protein |
| Measuring principle | Dual wavelength reflectance method |
| Measuring wave length | 3 LED Wavelength (550,620,720nm) |
| Sample supply | manual dipping |
| Reaction time | 60 seconds |
| Throughout | Normal mode, 60 samples /hour Continuous mode, 125 samples /hour |
| Display | LCD screen |
| Memory capacity | 5000 results |
| Strip | 10G /11G urine reagent strips |
| Interface | Serial port(RS232), parallel port (For external printer), PS/2(For barcode reader) |
| Work condition | Environmental Temperature: 15-30 , RH: 20%~80% |
| power supply | Adopter 12V DC, 4.0A |
| Dimensions | 290 x 200 x 100mm |
| Weight | 2kg |